

**DEPARTMENT OF TRANSPORTATION**

DIVISION OF ENGINEERING SERVICES

OFFICE ENGINEER

1727 30<sup>th</sup> Street MS-43

P.O. BOX 168041

SACRAMENTO, CA 95816-8041

FAX (916) 227-6214

www.dot.ca.gov/hq/esc/oe



*Serious Drought.  
Help save water!*

May 27, 2016

02-Plu-89-20.0/20.6

02-0E24U4

Project ID 0215000146

ACSTP-P089(118)E

Addendum No. 3

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN PLUMAS COUNTY AT GREENVILLE FROM 0.1 MILE NORTH OF SOUTH GREENVILLE OVERHEAD TO HILLSIDE DRIVE to revise the *Notice to Bidders and Special Provisions*.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Thursday, June 2, 2016.

In the Special Provisions, Section 19-2.01B, "Definitions," the following definition is added as follows:

**"Oil Cake:** A term used to describe the original surface treatment. The first surface treatment on many older roads was oil sprayed directly over the existing soil. Over the years, layers of asphalt concrete have been placed over the top."

In the Special Provisions, Section 19-2.03A, the following paragraph is added as follows:

"Removal and disposal of oil cake is included in roadway excavation."

In the Special Provisions, Section 73-3.01C, is deleted.

In the Special Provisions, Section 73-3.01D, is deleted.

In the Special Provisions, Section 86-6.14, is replaced as attached.

To *Bid* book holders:

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the *Notice to Bidders* section of the *Notice to Bidders and Special Provisions*.

*"Provide a safe, sustainable, integrated and efficient transportation system  
to enhance California's economy and livability"*

Addendum No. 3  
Page 2  
May 27, 2016

02-Plu-89-20.0/20.6  
02-0E24U4  
Project ID 0215000146  
ACSTP-P089(118)E

To *Bid* book holders:

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the *Notice to Bidders* section of the *Notice to Bidders and Special Provisions*.

Submit the *Bid* book as described in the *Electronic Bidding Guide* at the Bidders' Exchange website.

**[http://www.dot.ca.gov/hq/esc/oe/electronic\\_bidding/electronic\\_bidding.html](http://www.dot.ca.gov/hq/esc/oe/electronic_bidding/electronic_bidding.html)**

Inform subcontractors and suppliers as necessary.

This addendum, EBS addendum file and attachment are available for the Contractors' download on the Web site:

**[http://www.dot.ca.gov/hq/esc/oe/project\\_ads\\_addenda/02/02-0E24U4](http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/02/02-0E24U4)**

If you are not a *Bid* book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,



DAVE MOORE  
District Director

Attachment

**Add to section 86-6**

**86-6.14 DECORATIVE LIGHTING**

**86-6.14A General**

**86-6.14A(1) Summary**

This work includes installing decorative lighting including poles, luminaires, and support arms.

**86-6.14A(2) Submittals**

Before shipping lighting equipment to the jobsite, submit a list of materials, contract number, and manufacturer's instructions for installation, and your contact information to METS.

Submit reports for decorative lighting from an NRTL-accredited lab.

Submit color sample for approval.

**86-6.14B Quality Control and Assurance**

**86-6.14B(1) Warranty**

Provide a 2-year manufacturer replacement warranty for luminaire from the date of installation of decorative lighting. Warranty documentation must be submitted before installation.

**86-6.14C Materials**

**86-6.14C(1) Decorative Pole**

Light pole must be a round, 18 foot long, 4 inch diameter straight shaft, with a wall thickness of 0.188 inches. Pole must be Broadway series, graphite metallic in color and manufactured by Cooper Lighting.

**86-6.14C(2) Luminaire**

Luminaire must be Cooper Lighting Classical Epic Medium fixture with the following options:

1. Solid midsection
2. Bell shade
3. Type 3 distribution
4. Graphite metallic in color

**86-6.14C(2)(a) Electrical**

Provide 55 W LED luminaire with two 7 LED lightbars with universal ballast (120-277 V(ac)).

**86-6.14C(3) Support arm**

Decorative support arm must be Cooper Lighting Bishop single pole support arm and graphite metallic in color.

**86-6.14D Ordering Information**

Part Number	Description
BWR1882RT4GMG	Broadway series light pole
CEM-F02-LED-E-U-T3-X-BL-GM	Classical Epic luminaire
SA6154-GM	Support arm
317RB408	Anchor bolts

**86-6.14E Construction**

Provide anchor bolts and install per pole manufacturer's instructions. Place foundations per PG&E Decorative Street Lighting Document No. 029690, which is included as an Information Handout.

Install service conduit per PG & E Document No. 062288, "Underground Conduit", included as an information handout. A complete PG & E Electric and Gas Service Requirements Manual can be found at: [www.pge.com/greenbook](http://www.pge.com/greenbook).

**86-6.14F Payment**

Not used